



180 Dutton Avenue  
 Buffalo, NY 14211  
 www.wellworthproducts.com  
 1-800-890-7935  
 Date Prepared: 1/7/08

## IV<sup>2</sup> PURGE™ Liquid Fuel Injector Cleaner

### DESCRIPTION

IV<sup>2</sup> Purge™ is the professional solution for eliminating such problems as hesitation, stalling, hard starting, loss of power and poor mileage in late model and finely tuned cars. Powerful in-line cleaners quickly dissolve carbon and other deposits from intake valves, fuel injectors and the combustion chamber. Works equally well in all U.S. and imported cars. Liquid formulation for use with our VT1636 Canister. Safe on oxygen sensors and catalytic converters. A special lubricant and anti-corrosive agent have been added to IV<sup>2</sup> Purge™ to protect the fuel injectors, engine and exhaust system during cleaning. SAFE AND EFFECTIVE FOR USE IN MOST FUEL INJECTOR CLEANING EQUIPMENT.

### USES

- For use with most compressed air cleaning devices.
- Circulates potent in-line cleaners to dissolve carbon and other deposits.
- Oxygen sensor and Catalytic Converter Safe.
- For use on most popular USA and Imported cars.

### DIRECTIONS

IMPORTANT: ALWAYS WEAR SAFETY GLASSES. WEARERS OF CONTACT LENSES SHOULD REMOVE THEM BEFORE USING THIS PRODUCT. PROTECT PAINTED SURFACES FROM ACCIDENTAL CONTACT. NOTE: USE IV<sup>2</sup> PURGE ON GASOLINE ENGINES ONLY. 1. Please refer to our VT 1636 instruction manual for specific instructions. Before engine is restarted after cleaning, add a bottle of XCELERATE™ to the gas tank to cleanse the system of any remaining cleaner. 2. IV<sup>2</sup> Purge™ used in conjunction with our Top Shot™, Master Blaster™ and Xcelerate™ is a very effective system for cleaning up the most stubborn deposits. Ask your Well•Worth® distributor for details on this complete cleaning system.

### PACKAGING

# 1052 - 12 oz.  
 Liquid Can

12 Per Case

# 1048 - Gallon

4 Per Case

Ready to use with our  
 VT 1636 Canister.

### STORAGE

Keep away from heat, sparks and flame. Keep from freezing. Do not puncture, incinerate or burn.

### SPECIFICATIONS

FLASH POINT : 12° F  
 EVAPORATION RATE (Butyl Acetate = 1) : Faster Than  
 COLOR : Light Yellow  
 ODOR : Amine  
 SOLUBILITY IN WATER : Complete

### HMIS HAZARD RATING

0-Least	A-Goggles	HEALTH	1
1-Slight	B-Goggles, Gloves	FLAMMABILITY	3
2-Moderate	C-Goggles, Gloves, Protective Wear	REACTIVITY	0
3-High		PERSONAL PROTECTION	B
4-Extreme			

### FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.  
 SKIN CONTACT: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately.  
 Wash clothing separately before reuse. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. INGESTION: Get medical attention immediately. If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. ChemTrec (USA) 800-424 9300.

*NOTICE TO PURCHASER: Well•Worth Products, Inc. provides no warranty of any kind with respect to the product, whether express or implied including without limitation, the implied warranty of merchantability or fitness for any intended use or purpose; shall not be liable under any circumstances for any loss, damage, liability, injury or expense directly or indirectly resulting from, arising or related to the use or application of product; shall not be liable for consequential or incidental damages or loss of profits; and its liability shall be limited to replacement of the product.*

ALWAYS CONSULT MSDS for further details on precautions for safe handling and use.