



MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name : Amber Dripless Oil Based RustProofing #900905, #900955
SUPPLIER : Well•Worth Products, Inc
180 Dutton Avenue
Buffalo, NY 14211
Phone : (800) 890-7935 EMERGENCY PHONE NUMBER: CHEMTREC 800-424-9300
Fax : (716) 597-0217
Product Use: Automotive, Coatings

SECTION 2: HAZARD IDENTIFICATION

Classification Of Substance Or Mixture :
NOT CLASSIFIED

Precautionary Statements :
P264 : Wash thoroughly after handling.
P280 : Wear protective gloves & eye protection.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

NO KNOWN HAZARDOUS INGREDIENTS

SECTION 4 : FIRST AID MEASURES

ROUTE OF ENTRY

Skin Contact	Yes
Skin Absorption	Yes
Eye Contact	Yes
Inhalation	Yes
Ingestion	Yes

Skin: Immediately remove all contaminated clothing. Wash using plenty of water. If irritation persists seek medical attention.
Eye: Immediately flush for 15 minutes using plenty of water. Seek medical attention.
Inhalation: Move victim away from affected area to fresh air, if needed give artificial respiration, seek medical attention.
Ingestion: Do *NOT* induce vomiting. Contact physician or poison control center. For spontaneous vomiting have the victim lean forward with head down. Seek medical attention
General Advise: Use good hygiene habits.

SECTION 5: FIRE FIGHTING MEASURES

Hazardous Combustion Products	Oxides Of Carbon (CO, CO2)
Means Of Extinction	“Alcohol” foam, CO2, dry chemical. Incase of larger fires, water spray should be used.
Special Fire Fighting Measures	Fire fighters should be equipped with self-contained breathing apparatus to protect against potentially toxic fumes.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Evacuation Procedures & Safety –

Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Containment Of Spill –

Retain diluted water for later disposal. Follow procedure below under Clean-up & Disposal of Spill

Clean-up & Disposal Of Spill –

Always exercise caution & wear personal safety protection when dealing with chemicals. Eliminate all sources of ignition. Prevent runoff into drains, sewers and other waterways. Contain diluted material into empty drums & call in the appropriate Government authorities for disposal.

Environmental & Regulatory Reporting –

Large spills should be handled according to a predetermined plan.
No environmental effects reported.

SECTION 7 : HANDLING AND STORAGE

Minimum/Maximum Storage Temperatures:

N/A

Handling :

Keep away from heat, spark & open flames. Containers must be grounded & bonded. Do not use near sources of ignition. Do not cut, drill, weld or grind near containers. Open containers slowly to allow for any pressure build-up to escape.

Storage :

Store & use in a cool & dry environment. Keep away from heat, sparks & open flames. Keep container closed when not in use. Store away from oxidizing & reducing materials. Store away from sunlight.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS	ACGIH TLV		OSHA PEL	
	TWA	STEL	PEL	STEL
NO KNOWN HAZARDOUS INGREDIENTS				

Eyes -

Chemical goggles.

Respiratory -

Local exhaust ventilation is recommended.

Gloves -

Chemical resistant gloves.

Clothing -

Wear adequate protective clothes.

Footwear -

Safety boots per local regulations.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Semi-solid grease.
Colour	Amber or Black
Odour	Light Solvent
Odour Threshold (ppm)	100
Vapour Pressure (mm Hg)	>1 kpa.
Vapour Density (Air = 1)	>1.
Boiling Point (Deg. C)	N/A
Freezing Point (Deg. C)	5

pH	N/A
Specific Gravity	0.90
% Volatile (By Weight)	N/A
Solubility	Insoluble
Flashpoint (Deg C), method	190. Closed Cup
Autoignition Temp. (Deg C)	350

SECTION 10 : STABILITY AND REACTIVITY

Chemical Stability :	Yes, under normal conditions
Reactivity Conditions :	Avoid heat, spark & open flame. Explosive reactions can occur in the presence of strong oxidizing agents.
Incompatibility with Other Substances:	Keep away from heat. Incompatible with strong oxidizers.
Hazardous Polymerisation:	Will not occur.
Hazardous Decomposition Products:	Dense black smoke. Oxides of Carbon (CO, CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

Eye Contact -

Can cause redness, irritation, tissue destruction.

Effects Of Chronic Exposure –

Prolonged or repeated contact may cause drying or cracking of the skin or eczema-like rashes.

Ingestion Toxicity –

Slightly toxic, Can cause dizziness & headaches

Reproductive Effects –

No test data found for product

Inhalation Toxicity –

No test data found for product

Carcinogenicity Of Material –

This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIH to be “suspected human carcinogens. No additional data found for product.

SECTION 12:**ECOLOGICAL INFORMATION**

Environmental : Do not allow to enter waters, waste water or soil.
Biodegradability : N/A
No Other Adverse Effects Found

SECTION 13:**DISPOSAL INFORMATION**

Keep spills/leaked product contained & call in appropriate government authorities for disposal.

SECTION 14 :**TRANSPORT INFORMATION**

TDG Classification (Road): Not Regulated
IATA Classification (Air): Not Regulated
IMDG Classification (Marine) : Not Regulated
Marine Pollutant : No

SECTION 15 :**REGULATORY INFORMATION**

WHMIS Classification : Not regulated under WHMIS
CEPA Status : On Domestic Substances List (DSL)
OSHA : Not Hazardous
SARA Title III
Section 302 – extremely hazardous: None.
Section 311/312 Hazard Categories: Not Applicable.
Section 313 : None.
EPA Hazardous air pollutants (HAPS) : None.
TSCA inventory status: All components are listed.
California Proposition 65 : Does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.

SECTION 16 :**OTHER INFORMATION**

THIS MSDS IS VALID FOR THREE YEARS.

MSDS 1005

MSDS 1005

DATE PREPARED : April, 2015
Prepared By: Technical Department

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS: Updates made in accordance with implementations of GHS requirements.

Disclaimer:

To the best of our knowledge, this MSDS conforms to the requirements of US OSHA 29 CFR 1910.1200. The information contained herein is based on data considered accurate to the best of our knowledge at the date of its publication. However, no warranty is expressed or implied regarding the accuracy, completeness, or adequacy of the information contained herein. The manufacturer and/or supplier shall not be held liable (regardless of fault) to the user or third persons, or anyone for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. Each user must review this MSDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company so we can attempt to obtain additional information from our suppliers.

Please carefully read and understand all labels before using product.