



# RUB-R SHIELD

## RUBBER UNDERCOATING



RUB-R SHIELD™ leaves behind a tough, flexible abrasion resistant coating that will not crack, chip or peel under harsh conditions. Provides superior salt protection and sound deadening. Seals out road noise, dirt, moisture and inhibits corrosion. Dries to the touch in about 15 minutes.

800-890-7935

[www.wellworthproducts.com](http://www.wellworthproducts.com)

#### Directions:

1. Surface to be coated must be clean and dry.
2. SHAKE WELL BEFORE USING. Allow mixing ball to move freely for about one minute before using. Repeat this procedure periodically during application.
3. Hold can 10-12 inches from surface and apply a uniform coating while moving can smoothly. Several thin coats are better than one heavy coat.
4. Remove any over spray with Well Worth's TASK MASTER™ cleaning solvent, or other similar solvent.
5. When finished spraying. Clear valve after spraying by turning can upside down and spray about 3 seconds until only pressure escapes.
6. Allow RUB-R SHIELD™ to fully dry for one hour under normal shop conditions and before painting. For temperatures below 60°F (16°C) or high humid conditions above 70°F (21°C) allow 30 additional minutes of dry time.

#### Product Number and Packaging:

#9008 – 16 oz 12/CS

**CONTAINS:** Calcium Carbonate, Propane/Isobutane/N-Butane, Toluene, Methyl Acetate, Acetone, Methanol, Xylene, Carbon Black, Silica Crystalline, Quartz, Ethyl Benzene, Benzene.

**WARNING: Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)**

For more information refer to the Well Worth Safety Data Sheet for this product.

Chemtrec (USA) 800-424-9300



**DANGER:** Extremely Flammable Aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging fertility and the unborn child. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs (Eyes, Skin, Respiratory System, Central Nervous System, Liver and Kidney) through prolonged and repeated exposure. May be fatal if swallowed and enters airways.

**PREVENTION:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands and any other exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection, face protection. Do not breathe dust, fumes, gas, mist, vapors, spray. Use only outdoors or in a well-ventilated area. Keep away from heat, sparks, open flames, hot surfaces – No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**FIRST AID:** If exposed: Call a poison center, doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice, attention. SKIN CONTACT: Wash off with soap and plenty of water. Remove and wash contaminated clothing before re-use. If skin irritation or rash occurs, call a physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor, physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER, doctor, physician. Do NOT induce vomiting.

**STORAGE:** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**DISPOSAL:** Dispose of contents, container to an approved waste disposal plant.